## ALLERGY EMERGENCY ACTION PLAN

AND TREATMENT AUTH	Child's	
NAME:	D.O.B:/	Photograph
TEACHER:	GRADE:	
ALLERGY TO:		
Asthma: ☐ Yes (higher risk for a severe reaction) ☐ No	Weight: lbs	
ANY SEVERE SYMPTOMS AFTER SUSPECTED INGESTION:  LUNG: Short of breath, wheeze, repetitive cough HEART: Pale, blue, faint, weak pulse, dizzy, confused THROAT: Tight, hoarse, trouble breathing/swallowing MOUTH: Obstructive swelling (tongue) SKIN: Many hives over body  Or Combination of symptoms from different body areas SKIN: Hives, itchy rashes, swelling GUT: Vomiting, crampy pain  MILD SYMPTOMS ONLY	Short of breath, wheeze, repetitive cough Pale, blue, faint, weak pulse, dizzy, confused T: Tight, hoarse, trouble breathing/swallowing Tobstructive swelling (tongue) To symptoms from different body areas:    Obstructive swelling (tongue)   Object   Call 911	
Skin. A few filves around mouth/face, fillid fich   /	with child, alert health care professionals PTOMS PROGRESS (see above), INJE	•
☐ If checked, give epinephrine for ANY symptoms if the allergen was likely eaten. ☐ If checked, give epinephrine before symptoms if the allergen was definitely eaten.		
MEDICATIONS/DOSES		
EPINEPHRINE (BRAND AND DOSE):		
ANTIHISTAMINE (BRAND AND DOSE):		
Other (e.g., inhaler-bronchodilator if asthma):		
MONITORING: Stay with the child. Tell rescue squad epinephrine was given. A second dose of epinephrine can be given a few minutes or more after the first if symptoms persist or recur. For a severe reaction, consider keeping child lying on back with legs raised. Treat child even if parents cannot be reached.		
☐ Student may self-carry epinephrine ☐ Student may self-administer epinephrine		
CONTACTS: Call 911 Rescue squad: ()		
Parent/Guardian: F	Ph: ()	
Name/Relationship: F	Ph: ()	
Name/Relationship: F	Ph: ()	

I hereby authorize the school district staff members to take whatever action in their judgment may be necessary in supplying emergency medical services consistent with this plan, including the administration of medication to my child. I understand that the Local Governmental and Governmental Employees Tort Immunity Act protects staff members from liability arising from actions consistent with this plan. I also hereby authorize the school district staff members to disclose my child's protected health information to chaperones and other non-employee volunteers at the school or at school events and field trips to the extent necessary for the protection, prevention of an allergic reaction, or emergency treatment of my child and for the implementation of this plan.

(Required)

Licensed Healthcare Provider Signature:\_\_\_\_

Phone: Date:

Parent/Guardian Signature:\_\_\_\_ Date:\_\_\_

## **Individual Allergy Health Care Plan**

Genera	il Plan:		
	Epinephrine will be stored in the: Nurses' Office Classroom On Person		
	The student has been authorized to carry and self-administer epinephrine or albuterol on medication form.		
	Student's symptoms of an allergic reaction include:		
	Student can recognize an allergic reaction and knows when and how to seek help.		
	Plan will be given to classroom teachers.		
Bus Tra	insportation Plan:		
	All busses have a no food policy; drivers do not carry epinephrine; drivers are alerted to student's allergy.		
	Student requires special considerations on bus:		
Classro	om Plan:		
	☐ Student may eat only those foods approved and/or provided by parent.		
	☐ Parent/guardian must be advised of parties, events or projects involving food as early as possible.		
	Classroom parents and students will be notified to avoid bringing allergens into the classroom.		
ο .	O Plan:		
	☐ Student will sit with classmates at an allergen-friendly table.		
	No special seating is required.		
Field Tı	rip Plan:		
	Prescribed medication & Emergency Action Plan must be reviewed and carried by certified staff member.		
Other I	Needs:		
Parent.	/Guardian Plan:		
	I give Health Services staff permission to communicate with the Health Care Provider about this medication.		
_	I assume responsibility for supplying medication that will not expire during the course of its intended use.		
	I will provide medication in the original prescription container with instructions by our health care provider.		
	If my child is authorized to self-carry, additional medication will be kept in the health office as recommended.		
Parent,	/Guardian Signature: Date:		
Review	ved by School Nurse:Date:		
1. Remo	(Epinephrine) Auto-injector Directions ove the EpiPen Auto-Injector from the plastic carrying case. If the blue safety release cap. It and firmly push groups to against mid outer thigh		

- 3. Swing and firmly push orange tip against mid-outer thigh.
- 4. Hold for approximately 10 seconds.
- 5. Remove and massage the area for 10 seconds.

## Auvi-Q (Epinephrine) Injection Directions

- 1. Remove the outer case of Auvi-Q. This will automatically activate the voice instructions.
- 2. Pull off red safety guard.
- 3. Place black end against mid-outer thigh.
- 4. Press firmly and hold for 5 seconds.
- 5. Remove from thigh.









